WOOD-BURNING DEVICE COMPLIANCE FORM

Submit forms to: Northern Nevada Public Health
Air Quality Management Division
1001. E Ninth Street, Suite B171
Reno, NV89512

Email: AQMD-WBD@nnph.org

Pay Fees online: http://www.onenv.us

- Application must be filled out completely for **all items that are applicable**
- **CURRENT FEES: $149**– ***Submittal of fee is the responsibility of the Seller***

Note: It is unlawful to complete any escrow transaction unless all wood-burning devices in the property have been certified as being in compliance with the Wood-Burning Devices Emission Standards pursuant to DBOH Regulations Governing Air Quality Management, Section 040.051.

☐ **PASS** (allows escrow to close) ☐ **FAIL** (re-inspection after device removal for escrow to close)

Inspection Date_____

Seller's Name_____ Email_____ Phone_____

Buyer's Name_____ Email_____ Phone_____

INSPECTION LOCATION _____
(STREET) (CITY) (ZIP CODE)

Parcel / APN #_____ **Escrow #**_____

Real Estate Agent_____ Phone_____

Real Estate Company_____ Email_____

Title Company_____ Phone_____

Address_____
(STREET) (CITY) (ZIP CODE)

Escrow Officer_____ **Email** _____

DO NOT ABBREVIATE THIS SECTION

	Manufacturer/Model-Design	HD Ref. #	Location	Certified	Uncertified	Exempt
1.				☐	☐	☐
2.				☐	☐	☐
3.				☐	☐	☐

***Exempt - Wood-Burning Device Exemption Form must be completed and attached with appropriate documentation.**

Comments

Inspector Signature_____ **Inspector #** _____

The Norther Nevada Public Health will issue a Certificate of Compliance no later than fourteen **(14) calendar days** after receipt of a fully completed Wood-Burning Device Compliance Form from a private, certified wood-burning device inspector.

A certification does not constitute a warranty or guarantee by the inspector or the Control Officer that the device meets any other standards of operation, safety, or efficiency.

If the report indicates that a wood-burning device is uncertified, the wood-burning device must be:

- ***Removed from the property, destroyed and recycled if recycling is available; or***
  - Required Documentation - Provide receipt of destruction and/or recycling
- ***Rendered permanently inoperable (provide evidence from the WBDInspector)***

Re-inspection by an inspector for verification of removal is required prior to close of escrow.

AIR QUALITY MANAGEMENT / PUBLIC HEALTH USE ONLY

Verification Date_____ Verified by_____ □ Exemption Approved □ Denied □ Paid

Comments_____

AWS# _____

AIR QUALTIY MANAGEME T USE ONLY

AIR QUALITY MANAGEMENT DIVISION
1001 East Ninth Street, Building B-171, Reno, Nevada 89512
AQM Office: 775-784-7200 I Fax: 775-784-7225 I OurCleanAir.com
Serving Reno, Sparks and all of Washoe County, Nevada. Washoe County is an Equal Opportunity Employer.

Revised – 05/2026